



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/748,685

12/31/2003

George Fitzmaurice

1500.1083

1979

21171 7590 03/17/2009
STAAS & HALSEY LLP
SUITE 700
1201 NEW YORK AVENUE, N.W.
WASHINGTON, DC 20005

EXAMINER

NGUYEN, LE V

ART UNIT

PAPER NUMBER

2174

MAIL DATE

DELIVERY MODE

03/17/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/748,685	Applicant(s) FITZMAURICE ET AL.	
	Examiner LE NGUYEN	Art Unit 2174	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 7-17 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 7-17 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date ____. | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

1. This communication is responsive to an amendment filed 3/12/09.
2. Claims 7-17 are pending in this application; and, claims 8 and 17 are independent claims. Claims 1-6 and 18-27 have been cancelled.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 7-9 and 11-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Screen Dumps of Macromedia Flash MX ("Macromedia Flash") in view of Bernstein et al. ("Bernstein", US 2004/0093565), in view of Buxton et al. ("Buxton", US 6,094,197), and further in view of Fox et al. ("Fox", US 2002/0171690 A1).

As per claim 8, although Macromedia Flash teaches an interface comprising layer representation graphic having layer names inputable by a user and displayable (figs. 2 and 4; page 1) and a control associated with the representation graphic activable from within the layer representation and that allows a corresponding layer to be edited (figs. 2-4; *for each layer, controls such as controls 38 and 40 are activatable, from within the layer representation, to display a pop-up menu such as pop-up menu 50*), Macromedia Flash does not explicitly disclose input by a user that is displayable as

hand drawn strokes. Bernstein teaches input by a user that is displayable as hand drawn strokes (Abstract; figs. 10-11). It would have been obvious to an artisan at the time of the invention to incorporate the method of Bernstein with the method of Macromedia Flash given that pen-based systems are particularly well-suited for mobile users due to the ease of use and portability of pen peripherals and that handwritten ink are often times more recognizable to the user of the pen-based system, given that handwriting recognition software are prone to errors. However, Macromedia Flash and Bernstein do not explicitly disclose the activation being one of pressing a left mouse button and pressing a pen tip. Buxton teaches activation of a pop-up menu being one of pressing a left mouse button and pressing a pen tip (col.11, lines 37-42; *activation via pressing a pen tip*). It would have been obvious to an artisan at the time of the invention to incorporate the method of Buxton with the modified method of Macromedia Flash and Bernstein in order to assist users who have not yet memorized the pen strokes required to activate the menu.

Macromedia Flash, Bernstein & Buxton still do not explicitly disclose the graphic having target areas with target sizes greater than $2e$ where e is the distance error accuracy of an input device, i.e. the graphic may merely be some GUI box or window corresponding to a layer, and that this GUI box or window has other graphic objects which are targets, and that because there is always some distance accuracy error in using an input device to position the cursor, these graphic objects are designed to be at least twice that distance error (specification, pp 3-4). Fox teaches graphic having target areas with target sizes greater than $2e$ (figs. 3(A-C); par [0002], [0004], [0036]-[0039];

widget 21 has a target size greater than 2 times the distance error of the pointer to the widget for selection emphasis, i.e., as the physical pointer position 25 approaches target boundary dimension 23, which is approximately within 2.5 widget distance from the widget to the pointer, the force field of the pointer snaps to the selectable portion of widget 21 and the widget expands its visual size to a boundary dimension 5 times its previous size). It would have been obvious to an artisan at the time of the invention to incorporate the method of Fox with the method of Macromedia Flash, Bernstein & Buxton in order to provide an improved GUI as available display real estate on a device shrinks with handheld portable devices and object presentation becomes more compact and a selection pointer tracking requires more manual dexterity and concentration on the user's part, especially in view of KSR, 127 S. Ct. 1727 at 1742, 82 USPQ2d at 1397 (2007).

As per claim 7, the modified Macromedia Flash teaches an interface comprising: a drawing dialog box invoked by the control and allowing the user to input the layer names (Macromedia Flash: figs. 2-4; page 1; Bernstein: sections [0039]-[0041]).

As per claim 9, the modified Macromedia Flash teaches an interface wherein the control invokes a menu of a layer editing menu type (Macromedia Flash: figs. 2-4, pages 1-3). The modified Macromedia Flash further teaches a menu being of a marking menu type (Buxton: fig. 11; col. 9, lines 27-28 and 56-67).

As per claim 11, the modified Macromedia Flash teaches an interface wherein each layer control comprises a pop-up menu control for layer editing comprising performing selection or operations with underlying menus where a) activation of a

Art Unit: 2174

control via a click selects a corresponding layer, and b) execution of another click selects an operation on the layer (Macromedia Flash: figs. 2-4; *i.e. activation of a control via a "click" selects a corresponding layer for an editing operation on the layer*).

The modified Macromedia Flash further teaches a marking menu that performs selections or operations with underlying menus where a mark simultaneously selects a graphical representation and selects an operation on the graphical representation (Buxton: fig. 11; col. 9, lines 27-28 and 56-67) as well as a graphical representation having layer names and additional controls associated with the graphical representation such as a move control for moving a position of a layer in a layer editor stack (Macromedia Flash: figs. 2-4; *via a drag operation in the timeline*) and a transparency control controlling the transparency of a corresponding drawing layer (Macromedia Flash: figs. 2-4; *via Windows > Panel > Effect*).

As per claim 12, the modified Macromedia Flash teaches an interface wherein each layer graphic has an indicator indicating whether a corresponding drawing layer is hidden or visible (Macromedia Flash: figs. 2-4; *in the eye icon column, indicators ". "* *indicate that the layers are visible*).

As per claim 13, the modified Macromedia Flash teaches an interface wherein each layer graphic has an indicator indicating whether a corresponding drawing layer is one of hidden or locked (Macromedia Flash: figs. 2-4; *from left to right, first ". "* *(depicted) indicator indicates that the layers are visible, while "X" (not shown) indicator indicates that the layers are hidden; and, second ". "* *indicator (depicted) indicates that*

the layers are unlocked, while a lock icon indicator (not shown) in place of the "•" indicator indicates that the layers are locked).

As per claim 14, the modified Macromedia Flash teaches an interface wherein a background layer has a text label (Macromedia Flash: fig. 4; *background layer "Layer 2"*).

As per claim 15, the modified Macromedia Flash teaches an interface comprising a graphical representation having layer names (Macromedia Flash: figs. 2-4; *e.g. "Layer 1" and "square"*) and a pop-up menu control activatable for each layer, the layer editor interface further comprising performing selection or operations with underlying menus where a) activation of a control via a click selects a corresponding layer, and b) execution of another click selects an operation on the layer (Macromedia Flash: figs. 2-4; *i.e. activation of a control via a "click" selects a corresponding layer for an editing operation on the layer*). The modified Macromedia Flash further teaches performing selections or operations with underlying menus where a mark simultaneously selects a graphical representation and selects an operation on the graphical representation (Buxton: fig. 11; col. 9, lines 27-28 and 56-67).

As per claim 16, the modified Macromedia Flash teaches an interface wherein making a marking gesture in association with the layer representation graphic initiates a function with respect to one or more of the layers (Macromedia Flash: figs. 2-4, pages 1-3; Bernstein: section [0039]).

5. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Screen Dumps of Macromedia Flash MX ("Macromedia Flash") in view of Bernstein et al.

("Bernstein", US 2004/0093565), Buxton et al. ("Buxton", US 6,094,197) and Fox et al. ("Fox", US 2002/0171690 A1) as applied to claim 8, and further in view of Tosey (US 2004/0125153).

As per claim 10, although the modified Macromedia Flash teaches an interface wherein an active layer is highlighted with shading surrounding the name (Macromedia Flash: figs. 2-3), the modified Macromedia Flash does not explicitly disclose highlighting with a frame surrounding the name. Tosey teaches highlighting with a frame surrounding a name (fig. 1; paragraph [0002]; *element 100*). It would have been obvious to an artisan at the time of the invention to incorporate the method of Tosey with the method of the modified Macromedia Flash as an implementation preference for emphasizing objects that have focus, especially in view of KSR, 127 S. Ct. 1727 at 1742, 82 USPQ2d at 1397 (2007).

6. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Screen Dumps of Macromedia Flash MX ("Macromedia Flash") in view of Bernstein et al. ("Bernstein", US 2004/0093565), in view of Buxton et al. ("Buxton", US 6,094,197) in view of Fox et al. ("Fox", US 2002/0171690 A1), in view of Tosey (US 2004/0125153), and further in view of Decoste et al. ("Decoste", US 6,317,142 B1).

As per claim 17, Macromedia Flash teaches a layer editor interface comprising layer representation graphic having selection targets with a box shape, each selection box comprising controls activatable for each layer and having layer names inputable by a user and displayable (figs. 2 and 4; page 1) comprising: a drawing dialog box invoked by the control and allowing the user to input the layer names (figs. 2-4; page 1), a

Art Unit: 2174

graphical representation having layer names and additional controls associated with the graphical representation such as a move control for reordering or moving a position of a layer in a layer editor stack (figs. 2-4; *via a drag operation in the timeline*) and a transparency/opacity control controlling the transparency/opacity of a corresponding drawing layer (figs. 2-4; *via Windows > Panel > Effect*) and a control associated with the representation graphic activable from within the layer representation and that allows a corresponding layer to be edited (figs. 2-4; *for each layer, controls such as controls 38 and 40 are activatable, from within the layer representation, to display a pop-up menu such as pop-up menu 50*) wherein controls include selections for new layer (figs. 2-4; page 3; *"Insert > Layer"*), rename layer (figs. 2-4; page 1; *"Properties"*), delete layer (figs. 2-4; page 1; *"Delete Layer"*), merge layer (figs. 2-4; page 3; *wherein the active layer is combined with the layer below the active layer so that the content of the layers are combined*), lock layer (figs. 2-4), hide layer (figs. 2-4), position layer (figs. 2-4; page 2; *comprises a mode in which dragging on the layer itself moves the currently selected layer in 2 dimensions*) and an option of clearing the contents of the active layer (figs. 2-4; *via Edit > Cut or Edit > Clear selection*) wherein a control invokes a menu of a layer editing menu type (figs. 2-4, pages 1-3), wherein an active layer is highlighted with shading surrounding the name (figs. 2-3), wherein each layer graphic has an indicator indicating whether a corresponding drawing layer is hidden or visible (Macromedia Flash: figs. 2-4; *in the eye icon column, indicators ". " indicate that the layers are visible*), wherein each layer graphic has an indicator indicating whether a corresponding drawing layer is one of hidden or locked (Macromedia Flash: figs. 2-4; *from left to right, first ". "*

(depicted) indicator indicates that the layers are visible, while "X" (not shown) indicator indicates that the layers are hidden; and, second "." indicator (depicted) indicates that the layers are unlocked, while a lock icon indicator (not shown) in place of the "." indicator indicates that the layers are locked) and wherein each layer control comprises a pop-up menu control for layer editing comprising performing selection or operations with underlying menus where a) activation of a control via a click selects a corresponding layer, and b) execution of another click selects an operation on the layer (figs. 2-4; *i.e. activation of a control via a "click" selects a corresponding layer for an editing operation on the layer*). Macromedia Flash does not explicitly disclose input by a user that is displayable as hand drawn strokes. Bernstein teaches input by a user that is displayable as hand drawn strokes (Abstract; figs. 10-11). It would have been obvious to an artisan at the time of the invention to incorporate the method of Bernstein with the method of Macromedia Flash given that pen-based systems are particularly well-suited for mobile users due to the ease of use and portability of pen peripherals and that handwritten ink are often times more recognizable to the user of the pen-based system, given that handwriting recognition software are prone to errors. However, Macromedia Flash and Bernstein do not explicitly disclose a menu being of a marking menu type wherein the activation is one of pressing a left mouse button and pressing a pen tip. Buxton teaches a menu being of a marking menu type wherein activation of a pop-up menu being one of pressing a left mouse button and pressing a pen tip (fig. 11; col. 9, lines 27-28 and 56-67; col.11, lines 37-42; *activation via pressing a pen tip*). It would have been obvious to an artisan at the time of the invention to incorporate the method of

Buxton with the modified method of Macromedia Flash and Bernstein in order to assist users who have not yet memorized the pen strokes required to activate the menu.

Macromedia Flash, Bernstein & Buxton do not explicitly disclose the graphic having target areas with target sizes of at least $2e$ where e is the distance error accuracy of an input device, i.e. the graphic may merely be some GUI box or window corresponding to a layer, and that this GUI box or window has other graphic objects which are targets, and that because there is always some distance accuracy error in using an input device to position the cursor, these graphic objects are designed to be at least twice that distance error (specification, pp 3-4). Fox teaches graphic having target areas with target sizes greater than $2e$ (figs. 3(A-C); par [0002], [0004], [0036]-[0039]; widget 21 has a target size greater than 2 times the distance error of the pointer to the widget for selection emphasis, i.e., as the physical pointer position 25 approaches target boundary dimension 23, which is approximately within 2.5 widget distance from the widget to the pointer, the force field of the pointer snaps to the selectable portion of widget 21 and the widget expands its visual size to a boundary dimension 5 times its previous size). It would have been obvious to an artisan at the time of the invention to incorporate the method of Fox with the method of Macromedia Flash, Bernstein & Buxton in order to provide an improved GUI as available display real estate on a device shrinks with handheld portable devices and object presentation becomes more compact and a selection pointer tracking requires more manual dexterity and concentration on the user's part, especially in view of KSR, 127 S. Ct. 1727 at 1742, 82 USPQ2d at 1397 (2007).

Macromedia Flash, Bernstein, Buxton & Fox do not explicitly disclose highlighting with a frame surrounding the name. Tosey teaches highlighting with a frame surrounding a name (fig. 1; paragraph [0002]; *element 100*). In view of KSR, 127 S. Ct. 1727 at 1742, 82 USPQ2d at 1397 (2007), it would have been obvious to an artisan at the time of the invention to incorporate the method of Tosey with the method of Macromedia Flash, Bernstein, Buxton & Fox as an implementation preference for emphasizing objects that have focus.

Macromedia Flash, Bernstein, Buxton, Fox & Tosey still do not explicitly disclose a slider for setting opacity. Decoste teaches a slider for setting opacity (col 14, lines 28-43). In view of KSR, 127 S. Ct. 1727 at 1742, 82 USPQ2d at 1397 (2007), it would have been obvious to an artisan at the time of the invention to incorporate the method of Decoste with the method of Macromedia Flash, Bernstein, Buxton, Fox & Tosey so that users have control over the region(s) to be filled.

Response to Arguments

7. Applicant's arguments with respect to claims 7-9 and 11-17 have been considered but are moot in view of the new ground(s) of rejection, except for the following:

The Office Action does not explain how one of ordinary skill in the art would have combined the references such that both text labels and hand drawn labels could be applied to different layers.

The Office disagrees for the following reasons:

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). The rejections are based on the modified Macromedia Flash wherein Macromedia Flash's teaching of having displayable layer names inputable by a user and a control associated with representation graphic activable from within the layer representation that allows a corresponding layer to be edited (figs. 2-4) was modified to include a combination of references, including teachings of hand drawn input by a user that is displayable as hand drawn strokes (Bernstein: Abstract; figs. 10-11). Moreover, such inputs are often implementation choices and interchangeably selected depending on users' preferences.

Inquires

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Lê Nguyen whose telephone number is **(571) 272-4068**. The examiner can normally be reached on Monday - Friday from 7:00 am to 3:30 pm (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Hong, can be reached at (571) 272-4124.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

Art Unit: 2174

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LVN
Patent Examiner
March 15, 2009

/Stephen S. Hong/

Supervisory Patent Examiner, Art Unit 2178